



MAROIL S.R.L.

Revision nr. 13

KTS Competition

Dated 09/11/2022

Printed on 09/11/2022

Page n. 1/19

Replaced revision:12 (Printed on: 30/09/2021)

Safety Data Sheet

According to Annex II to REACH - Regulation 2020/878 and to Annex II to UK REACH

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Code: M 220
Product name: KTS Competition

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use: Lubricating oil for 2-stroke engines

1.3. Details of the supplier of the safety data sheet

Name: MAROIL S.R.L.
Full address: LOC. PONTE ALLA CILIEGIA
District and Country: 55011 MARGINONE ALTOPASCIO (LU)
ITALIA
Tel. 0583/28731
Fax 0583/286542

e-mail address of the competent person responsible for the Safety Data Sheet: msds@bardahl.it

1.4. Emergency telephone number

For urgent inquiries refer to:
Numeri telefonici dei principali Centri Antiveleni italiani (attivi 24/24 ore)
Centro Antiveleni di Pavia 0382 24444 (CAV IRCCS Fondazione Maugeri - Pavia)
Centro Antiveleni di Milano 02 66101029 (CAV Ospedale Niguarda Ca` Granda - Milano)
Centro Antiveleni di Bergamo 800 883300 (CAV Ospedali Riuniti - Bergamo)
Centro Antiveleni di Firenze 055 7947819 (CAV Ospedale Careggi - Firenze)
Centro Antiveleni di Roma 06 3054343 (CAV Policlinico Gemelli - Roma)
Centro Antiveleni di Roma 06 49978000 (CAV Policlinico Umberto I - Roma)
Centro Antiveleni di Napoli 081 7472870 (CAV Ospedale Cardarelli - Napoli)

SECTION 2. Hazards identification

2.1. Classification of the substance or mixture

The product is classified as hazardous pursuant to the provisions set forth in (EC) Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of (EU) Regulation 2020/878. Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

Hazard classification and indication:

Hazardous to the aquatic environment, chronic toxicity, category 3 H412 Harmful to aquatic life with long lasting effects.



2.2. Label elements

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms: --

Signal words: --

Hazard statements:

H412 Harmful to aquatic life with long lasting effects.
EUH066 Repeated exposure may cause skin dryness or cracking.

Precautionary statements:

P501 Dispose of contents / container in accordance with national regulations
P273 Avoid release to the environment.
P101 If medical advice is needed, have product container or label at hand.
P102 Keep out of reach of children.

2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage \geq than 0,1%.

The product does not contain substances with endocrine disrupting properties in concentration \geq 0.1%.

SECTION 3. Composition/information on ingredients

3.2. Mixtures

Contains:

Identification	x = Conc. %	Classification (EC) 1272/2008 (CLP)
Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics		
INDEX -	$22,5 \leq x < 24$	Asp. Tox. 1 H304, EUH066
EC 926-141-6		
CAS -		
REACH Reg. 01-2119456620-43		
Phenol, polyisobutylene derivatives		
INDEX	$3 \leq x < 3,5$	Aquatic Chronic 3 H412
EC		
CAS -		
REACH Reg. Polimero		
Mineral oil		
INDEX	$2 \leq x < 2,5$	Asp. Tox. 1 H304
EC		



KTS Competition

CAS -

REACH Reg. Miscela

**Methylcyclopentadienyl
manganese tricarbonyl**

INDEX -

 $0,1 \leq x < 0,15$ Acute Tox. 1 H330, Acute Tox. 2 H310, Acute Tox. 3 H301, Aquatic Acute 1 H400 M=1, Aquatic Chronic 1 H410 M=1
LD50 Oral: 51,8 mg/kg, LD50 Dermal: 140 mg/kg, LC50 Inhalation vapours: 0,076 mg/l/4h

EC 235-166-5

CAS 12108-13-3

**distillates (petroleum), heavy
paraffinic + hydrotreating**

INDEX 649-467-00-8

 $0,1 \leq x < 0,15$

Asp. Tox. 1 H304

EC 265-157-1

CAS 64742-54-7

REACH Reg. 01-2119484627-25

Phenol, dodecyl-, branched

INDEX -

 $0 \leq x < 0,025$

Repr. 1B H360F, Skin Corr. 1C H314, Eye Dam. 1 H318, Aquatic Acute 1 H400 M=10, Aquatic Chronic 1 H410 M=10

EC 310-154-3

CAS 121158-58-5

4-(1,1,3,3-tetramethylbutyl)phenol

INDEX 604-075-00-6

 $0 \leq x < 0,025$ Acute Tox. 4 H312, Eye Dam. 1 H318, Skin Irrit. 2 H315, Aquatic Acute 1 H400 M=10, Aquatic Chronic 1 H410 M=10
STA Dermal: 1100 mg/kg

EC 205-426-2

CAS 140-66-9

1,3,5-TRIMETHYLBENZENE

INDEX 601-025-00-5

 $0 \leq x < 0,05$ Flam. Liq. 3 H226, Asp. Tox. 1 H304, Eye Irrit. 2 H319, Skin Irrit. 2 H315, STOT SE 3 H335, Aquatic Chronic 2 H411
STOT SE 3 H335: $\geq 25\%$

EC 203-604-4

CAS 108-67-8

1,2,4-TRIMETHYLBENZENE

INDEX 601-043-00-3

 $0 \leq x < 0,05$ Flam. Liq. 3 H226, Acute Tox. 4 H332, Eye Irrit. 2 H319, Skin Irrit. 2 H315, STOT SE 3 H335, Aquatic Chronic 2 H411
STA Inhalation vapours: 11 mg/l, STA Inhalation mists/powders: 1,5 mg/l

EC 202-436-9

CAS 95-63-6

naphthalene

INDEX 601-052-00-2

 $0 \leq x < 0,05$ Carc. 2 H351, Acute Tox. 4 H302, Aquatic Acute 1 H400 M=1, Aquatic Chronic 1 H410 M=1
LD50 Oral: 710 mg/kg

EC 202-049-5

CAS 91-20-3

The full wording of hazard (H) phrases is given in section 16 of the sheet.

Mineral oil

The mineral oil contained can be described by one or more of the following: EC No. 265-157-1, Registration No. 01-2119484627-25, Distillates (petroleum), hydrotreated heavy paraffinic; EC No. 265-169-7, Registration No. 01-2119471299-27, Distillates (petroleum), solvent-dewaxed heavy paraffinic, EC No. 265-158-7, Registration No. 01-2119487077-29, Distillates (petroleum), hydrotreated light paraffinic; EC No. 265-159-2, Registration No. 01-2119480132-48, Distillates (petroleum), solvent-dewaxed light paraffinic.

SECTION 4. First aid measures**4.1. Description of first aid measures**



MAROIL S.R.L.

Revision nr. 13

Dated 09/11/2022

KTS Competition

Printed on 09/11/2022

Page n. 4/19

Replaced revision:12 (Printed on: 30/09/2021)

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 15 minutes, opening the eyelids fully. If problem persists, seek medical advice.

SKIN: Remove contaminated clothing. Rinse skin with a shower immediately. Get medical advice/attention immediately. Wash contaminated clothing before using it again.

INHALATION: Remove to open air. If the subject stops breathing, administer artificial respiration. Get medical advice/attention immediately.

INGESTION: Get medical advice/attention immediately. Do not induce vomiting. Do not administer anything not explicitly authorised by a doctor.

4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

4.3. Indication of any immediate medical attention and special treatment needed

Information not available

SECTION 5. Firefighting measures

5.1. Extinguishing media

SUITABLE EXTINGUISHING EQUIPMENT

The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray.

UNSUITABLE EXTINGUISHING EQUIPMENT

None in particular.

5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE

Do not breathe combustion products.

5.3. Advice for firefighters

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

SECTION 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

**MAROIL S.R.L.**

Revision nr. 13

Dated 09/11/2022

KTS Competition

Printed on 09/11/2022

Page n. 5/19

Replaced revision:12 (Printed on: 30/09/2021)

6.3. Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

SECTION 7. Handling and storage

7.1. Precautions for safe handling

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat.

7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store the containers sealed, in a well ventilated place, away from direct sunlight. Keep containers away from any incompatible materials, see section 10 for details.

7.3. Specific end use(s)

Information not available

SECTION 8. Exposure controls/personal protection

8.1. Control parameters

Regulatory References:

BGR	България	НАРЕДБА № 13 ОТ 30 ДЕКЕМВРИ 2003 Г. ЗА ЗАЩИТА НА РАБОТЕЩИТЕ ОТ РИСКОВЕ, СВЪРЗАНИ С ЕКСПОЗИЦИЯ НА ХИМИЧНИ АГЕНТИ ПРИ РАБОТА (изм. ДВ. бр.5 от 17 Януари 2020г.)
CZE	Česká Republika	Nařízení vlády č. 41/2020 Sb. Nařízení vlády, kterým se mění nařízení vlády č. 361/2007 Sb., kterým se stanoví podmínky ochrany zdraví při práci, ve znění pozdějších předpisů
DEU	Deutschland	Technischen Regeln für Gefahrstoffe (TRGS 900) - Liste der Arbeitsplatzgrenzwerte und Kurzzeitwerte. MAK- und BAT-Werte-Liste 2020, Ständige Senatskommission zur Prüfung gesundheitsschädlicher Arbeitsstoffe, Mitteilung 56
DNK	Danmark	Bekendtgørelse om grænseværdier for stoffer og materialer - BEK nr 1458 af 13/12/2019
ESP	España	Límites de exposición profesional para agentes químicos en España 2021
EST	Eesti	Ohtlike kemikaalide ja neid sisaldavate materjalide kasutamise töötavishoiu ja tööhutuse nõuded ning töökeskkonna keemiliste ohutegurite piinormid [RT I, 17.10.2019, 1 - jõust. 17.01.2020]
FRA	France	Valeurs limites d'exposition professionnelle aux agents chimiques en France. ED 984 - INRS
FIN	Suomi	HTP-VÄRDEN 2020. Koncentrationer som befunnits skadliga. SOCIAL - OCH HÄLSOVÅRDSMINISTERIETS PUBLIKATIONER 2020:25
GRC	Ελλάδα	Π.Δ. 26/2020 (ΦΕΚ 50/Α` 6.3.2020) Εναρμόνιση της ελληνικής νομοθεσίας προς τις διατάξεις των οδηγιών 2017/2398/ΕΕ, 2019/130/ΕΕ και 2019/983/ΕΕ «για την τροποποίηση της οδηγίας 2004/37/ΕΚ `σχετικά με την προστασία των εργαζομένων από τους κινδύνους που συνδέονται με την έκθεση σε καρκινογόνους ή μεταλλαξίνονους παράγοντες κατά την εργασία`»
HUN	Magyarország	Az innovációért és technológiáért felelős miniszter 5/2020. (II. 6.) ITM rendelete a kémiai kóroki tényezők hatásának kitett munkavállalók egészségének és biztonságának védelmére
HRV	Hrvatska	Pravilnik o izmjenama i dopunama Pravilnika o zaštiti radnika od izloženosti opasnim kemikalijama na radu, graničnim vrijednostima izloženosti i biološkim graničnim vrijednostima (NN 1/2021)
ITA	Italia	Decreto Legislativo 9 Aprile 2008, n.81
LVA	Latvija	Grozījumi Ministru kabineta 2007. gada 15. maija noteikumos Nr. 325 "Darba aizsardzības prasības saskarē ar ķīmiskajām vielām darba vietās" (prot. Nr. 32 18. §; prot. Nr. 1 22. §)
NLD	Nederland	Arbeidsomstandighedenregeling. Lijst van wettelijke grenswaarden op grond van de artikelen 4.3, eerste

**MAROIL S.R.L.**

Revision nr. 13

Dated 09/11/2022

KTS Competition

Printed on 09/11/2022

Page n. 6/19

Replaced revision:12 (Printed on: 30/09/2021)

PRT	Portugal	lid, en 4.16, eerste lid, van het Arbeidsomstandighedenbesluit Decreto-Lei n.º 1/2021 de 6 de janeiro, valores-limite de exposição profissional indicativos para os agentes químicos. Decreto-Lei n.º 35/2020 de 13 de julho, proteção dos trabalhadores contra os riscos ligados à exposição durante o trabalho a agentes cancerígenos ou mutagénicos
POL	Polska	Rozporządzenie ministra rozwoju, pracy i technologii z dnia 18 lutego 2021 r. Zmieniające rozporządzenie w sprawie najwyższych dopuszczalnych stężeń i natężeń czynników szkodliwych dla zdrowia w środowisku pracy
ROU	România	Hotărârea nr. 53/2021 pentru modificarea hotărârii guvernului nr. 1.218/2006, precum și pentru modificarea și completarea hotărârii guvernului nr. 1.093/2006
SWE	Sverige	Hygieniska gränsvärden, Arbetsmiljöverkets föreskrifter och allmänna råd om hygieniska gränsvärden (AFS 2018:1)
SVK	Slovensko	NARIADENIE VLÁDY Slovenskej republiky z 12. augusta 2020, ktorým sa mení a dopĺňa nariadenie vlády Slovenskej republiky č. 356/2006 Z. z. o ochrane zdravia zamestnancov pred rizikami súvisiacimi s expozíciou karcinogénnym a mutagénnym faktorom pri práci v znení neskorších predpisov
SVN	Slovenija	Pravilnik o varovanju delavcev pred tveganji zaradi izpostavljenosti kemičnim snovem pri delu (Uradni list RS, št. 100/01, 39/05, 53/07, 102/10, 43/11 – ZVZD-1, 38/15, 78/18 in 78/19)
EU	OEL EU	Directive (EU) 2022/431; Directive (EU) 2019/1831; Directive (EU) 2019/130; Directive (EU) 2019/983; Directive (EU) 2017/2398; Directive (EU) 2017/164; Directive 2009/161/EU; Directive 2006/15/EC; Directive 2004/37/EC; Directive 2000/39/EC; Directive 98/24/EC; Directive 91/322/EEC.
	TLV-ACGIH	ACGIH 2021

Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics**Threshold Limit Value**

Type	Country	TWA/8h	STEL/15min	Remarks / Observations	
		mg/m3	ppm	mg/m3	ppm
OEL	EU	200		SKIN	

Mineral oil**Threshold Limit Value**

Type	Country	TWA/8h	STEL/15min	Remarks / Observations	
		mg/m3	ppm	mg/m3	ppm
VLEP	ITA	5			

Predicted no-effect concentration - PNEC

Normal value for the food chain (secondary poisoning) 9,33 mg/kg

Health - Derived no-effect level - DNEL / DMEL

Route of exposure	Effects on consumers			Effects on workers				
	Acute local	Acute systemic	Chronic local	Chronic systemic	Acute local	Acute systemic	Chronic local	Chronic systemic
Oral				0,74 mg/kg				
Inhalation			1,19 mg/m3				5,58 mg/m3	2,73 mg/m3
Skin								0,97 mg/kg

Methylcyclopentadienyl manganese tricarbonyl**Threshold Limit Value**

Type	Country	TWA/8h	STEL/15min	Remarks / Observations	
		mg/m3	ppm	mg/m3	ppm
VLA	ESP	0,2			
VLEP	FRA	0,2			
RV	LVA	0,1			

distillates (petroleum), heavy paraffinic + hydrotreating**Threshold Limit Value**

Type	Country	TWA/8h	STEL/15min	Remarks / Observations
------	---------	--------	------------	------------------------

**MAROIL S.R.L.**

Revision nr. 13

Dated 09/11/2022

Printed on 09/11/2022

Page n. 7/19

Replaced revision:12 (Printed on: 30/09/2021)

KTS Competition

		mg/m3	ppm	mg/m3	ppm
OEL	EU	5			

naphthalene**Threshold Limit Value**

Type	Country	TWA/8h	STEL/15min	Remarks / Observations	
		mg/m3	ppm	mg/m3	ppm
VLEP	FRA	50	10		
OEL	EU	50	10		

1,2,4-TRIMETHYLBENZENE**Threshold Limit Value**

Type	Country	TWA/8h	STEL/15min	Remarks / Observations	
		mg/m3	ppm	mg/m3	ppm
TLV	BGR	100	20		
TLV	CZE	100	20	250	50
AGW	DEU	100	20	200	40
MAK	DEU	100	20	200	40
TLV	DNK	100	20		E
VLA	ESP	100	20		
TLV	EST	100	20		
VLEP	FRA	100	20	250	50
TLV	GRC	125	25		
AK	HUN	100			
GVI/KGVI	HRV	100	20		
VLEP	ITA	100	20		
RV	LVA	100	20		
TGG	NLD	100		200	
VLE	PRT	100	20		
NDS/NDSch	POL	100		170	SKIN
TLV	ROU	100	20		
NGV/KGV	SWE	100	20	170	35
NPEL	SVK	100	20		
MV	SVN	100	20		
OEL	EU	100	20		
TLV-ACGIH		123	25		

1,3,5-TRIMETHYLBENZENE**Threshold Limit Value**

Type	Country	TWA/8h	STEL/15min	Remarks / Observations	
		mg/m3	ppm	mg/m3	ppm
TLV	BGR	100	20		
TLV	CZE	100	20	250	50

**KTS Competition**

AGW	DEU	100	20	200	40
MAK	DEU	100	20	200	40
TLV	DNK	100	20		E
VLA	ESP	100	20		
VLEP	FRA	100	20	250	50
HTP	FIN	100	20		
TLV	GRC	125	25		
AK	HUN	100			
GVI/KGVI	HRV	100	20		
VLEP	ITA	100	20		
RV	LVA	100	20		
TGG	NLD	100		200	
VLE	PRT	100	20		
NDS/NDSch	POL	100		170	SKIN
TLV	ROU	100	20		
NGV/KGV	SWE	100	20	170	35
NPEL	SVK	100	20		
MV	SVN	100	20	200	40
OEL	EU	100	20		
TLV-ACGIH		123	25		

Legend:

(C) = CEILING ; INHAL = Inhalable Fraction ; RESP = Respirable Fraction ; THORA = Thoracic Fraction.

VND = hazard identified but no DNEL/PNEC available ; NEA = no exposure expected ; NPI = no hazard identified ; LOW = low hazard ; MED = medium hazard ; HIGH = high hazard.

8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

HAND PROTECTION

Protect hands with category III work gloves (see standard EN 374).

The following should be considered when choosing work glove material: compatibility, degradation, failure time and permeability.

The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

SKIN PROTECTION

Wear category I professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

EYE PROTECTION

Wear airtight protective goggles (see standard EN 166).

**RESPIRATORY PROTECTION**

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, use a mask with a type A filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required.

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.

ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

Product residues must not be indiscriminately disposed of with waste water or by dumping in waterways.

SECTION 9. Physical and chemical properties**9.1. Information on basic physical and chemical properties**

Properties	Value	Information
Appearance	liquid	
Colour	red	
Odour	characteristic	
Melting point / freezing point	not available	
Initial boiling point	not available	
Flammability	not available	
Lower explosive limit	not available	
Upper explosive limit	not available	
Flash point	95 °C	
Auto-ignition temperature	not available	
Decomposition temperature	not available	
pH	not available	
Kinematic viscosity	60 cSt	
Solubility	insoluble	
Partition coefficient: n-octanol/water	not available	
Vapour pressure	not available	
Density and/or relative density	0,867 g/l	
Relative vapour density	not available	
Particle characteristics	not applicable	

9.2. Other information

9.2.1. Information with regard to physical hazard classes

Information not available

9.2.2. Other safety characteristics



MAROIL S.R.L.

Revision nr. 13

KTS Competition

Dated 09/11/2022

Printed on 09/11/2022

Page n. 10/19

Replaced revision:12 (Printed on: 30/09/2021)

Viscosità a 40°C	60,98 cSt
Viscosità a 100°C	10,04 cSt
Punto di scorrimento	-36°C
Consistenza	Non pertinente
Punto di gocciolamento	Non pertinente

SECTION 10. Stability and reactivity

10.1. Reactivity

There are no particular risks of reaction with other substances in normal conditions of use.

10.2. Chemical stability

The product is stable in normal conditions of use and storage.

10.3. Possibility of hazardous reactions

No hazardous reactions are foreseeable in normal conditions of use and storage.

10.4. Conditions to avoid

None in particular. However the usual precautions used for chemical products should be respected.

10.5. Incompatible materials

Information not available

10.6. Hazardous decomposition products

Information not available

SECTION 11. Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Information not available



MAROIL S.R.L.

Revision nr. 13

KTS Competition

Dated 09/11/2022

Printed on 09/11/2022

Page n. 11/19

Replaced revision:12 (Printed on: 30/09/2021)

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

Interactive effects

Information not available

ACUTE TOXICITY

ATE (Inhalation - vapours) of the mixture: > 20 mg/l
ATE (Oral) of the mixture: >2000 mg/kg
ATE (Dermal) of the mixture: >2000 mg/kg

Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics

LD50 (Dermal): > 5000 mg/kg Coniglio
LD50 (Oral): > 5000 mg/kg Ratto
LC50 (Inhalation vapours): > 5000 mg/m3 Ratto

Methylcyclopentadienyl manganese tricarbonyl

LD50 (Dermal): 140 mg/kg Equivalente o similare a OECD Guideline 402 - Coniglio
LD50 (Oral): 51,8 mg/kg Equivalente o similare a OECD Guideline 401 - Ratto
LC50 (Inhalation vapours): 0,076 mg/l/4h Rat - Equivalente o similare a OECD Guideline 403

distillates (petroleum), heavy paraffinic + hydrotreating

LD50 (Dermal): > 5000 mg/kg Coniglio - OECD Guideline 402
LD50 (Oral): > 5000 mg/kg Ratto - OECD Guideline 401
LC50 (Inhalation vapours): > 5,53 mg/l/4h Ratto - OECD Guideline 403

4-(1,1,3,3-tetramethylbutyl)phenol

LD50 (Dermal): > 2000 mg/kg Coniglio - Equivalente o similare a OECD Guideline 402
STA (Dermal): 1100 mg/kg estimate from table 3.1.2 of Annex I of the CLP
(figure used for calculation of the acute toxicity estimate of the mixture)
LD50 (Oral): 4040 mg/kg Ratto - OECD Guideline 401

naphthalene

LD50 (Dermal): > 16000 mg/kg Equivalente o similare a OECD Guideline 402 - Ratto
LD50 (Oral): 710 mg/kg Equivalente o similare a OECD Guideline 401 - Ratto Femmina
LC50 (Inhalation vapours): > 0,4 mg/l/4h Equivalente o similare a OECD Guideline 403 - Ratto

1,3,5-TRIMETHYLBENZENE

LD50 (Dermal): > 2000 mg/kg Rat
LD50 (Oral): 6000 mg/kg Rat



MAROIL S.R.L.

Revision nr. 13

Dated 09/11/2022

KTS Competition

Printed on 09/11/2022

Page n. 12/19

Replaced revision:12 (Printed on: 30/09/2021)

SKIN CORROSION / IRRITATION

Repeated exposure may cause skin dryness or cracking.

SERIOUS EYE DAMAGE / IRRITATION

Does not meet the classification criteria for this hazard class

RESPIRATORY OR SKIN SENSITISATION

Does not meet the classification criteria for this hazard class

GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

CARCINOGENICITY

Does not meet the classification criteria for this hazard class

REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

STOT - SINGLE EXPOSURE

Does not meet the classification criteria for this hazard class

STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class



KTS Competition

ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class Viscosity: 60 cSt

11.2. Information on other hazards

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with human health effects under evaluation.

SECTION 12. Ecological information

This product is dangerous for the environment and the aquatic organisms. In the long term, it have negative effects on aquatic environment.

12.1. Toxicity

Mineral oil

LC50 - for Fish	> 100 mg/l/96h Pimephales promelas
EC50 - for Crustacea	> 10000 mg/l/48h Dafnia
EC50 - for Algae / Aquatic Plants	> 100 mg/l/72h Alghe verdi (Scenedesmus quadricauda)
Chronic NOEC for Crustacea	> 10 mg/l/21d Dafnia

Phenol, dodecyl-, branched

LC50 - for Fish	40 mg/l/96h Pimephales promelas
EC50 - for Crustacea	0,037 mg/l/48h Dafnia
EC50 - for Algae / Aquatic Plants	0,36 mg/l/48h Alghe Verdi
Chronic NOEC for Crustacea	0,0037 mg/l/21d Dafnia

4-(1,1,3,3-tetramethylbutyl)phenol

LC50 - for Fish	0,26 mg/l/96h Leuciscus idus melanotus - OECD Guideline 203
EC50 - for Crustacea	0,27 mg/l/48h Dafnia
EC50 - for Algae / Aquatic Plants	1,9 mg/l/96h Pseudokirchnerella subcapitata - ASTM E47.01 1983
Chronic NOEC for Fish	0,012 mg/l/78d Danio rerio - OECD Guideline 210

distillates (petroleum), heavy paraffinic + hydrotreating

EC50 - for Crustacea	> 10000 mg/l/48h Dafnia
Chronic NOEC for Crustacea	10 mg/l/21d Dafnia

Methylcyclopentadienyl manganese tricarbonyl

LC50 - for Fish	0,21 mg/l/96h OECD Guideline 203 - Cyprinus carpio
EC50 - for Crustacea	0,83 mg/l/48h EPA OTS 797.1300 - Daphnia magna
EC10 for Algae / Aquatic Plants	0,11 mg/l/48h OECD Guideline 201 - Pseudokirchneriella subcapitata

naphthalene

LC50 - for Fish	1,6 mg/l/96h Equivalente o similare a OECD Guideline 203 - Oncorhynchus mykiss
-----------------	--

**KTS Competition**

EC50 - for Crustacea 2,16 mg/l/48h Equivalente o similare a OECD Guideline 202 - Daphnia magna
Chronic NOEC for Fish 0,37 mg/l/40d Oncorhynchus kisutch
Chronic NOEC for Crustacea 0,59 mg/l/125d Daphnia pulex

1,3,5-TRIMETHYLBENZENE

LC50 - for Fish 12,52 mg/l/96h Carassius auratus
EC50 - for Crustacea 6 mg/l/48h Daphnia magna

12.2. Persistence and degradability

Mineral oil

NOT rapidly degradable

OECD TG 301 B, 31 %, 28 d, Non facilmente degradabile.

Phenol, dodecyl-, branched

NOT rapidly degradable

OECD Guideline 302 D

4-(1,1,3,3-tetramethylbutyl)phenol

Rapidly degradable

distillates (petroleum), heavy paraffinic +
hydrotreating

Entirely degradable

OECD Guideline 301 F

Methylcyclopentadienyl manganese
tricarbonyl

NOT rapidly degradable

1,2,4-TRIMETHYLBENZENE

Solubility in water 0,1 - 100 mg/l

Rapidly degradable

naphthalene

Rapidly degradable

1,3,5-TRIMETHYLBENZENE

Solubility in water 0,1 - 100 mg/l

NOT rapidly degradable

12.3. Bioaccumulative potential**1,2,4-TRIMETHYLBENZENE**

Partition coefficient: n-octanol/water 3,65

BCF 243

1,3,5-TRIMETHYLBENZENE

Partition coefficient: n-octanol/water 3,42

12.4. Mobility in soil**1,2,4-TRIMETHYLBENZENE**



MAROIL S.R.L.

Revision nr. 13

Dated 09/11/2022

KTS Competition

Printed on 09/11/2022

Page n. 15/19

Replaced revision:12 (Printed on: 30/09/2021)

Partition coefficient: soil/water 3,04

1,3,5-TRIMETHYLBENZENE

Partition coefficient: soil/water 2,87

12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage \geq than 0,1%.

12.6. Endocrine disrupting properties

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with environmental effects under evaluation.

12.7. Other adverse effects

Information not available

SECTION 13. Disposal considerations

13.1. Waste treatment methods

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.

CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

SECTION 14. Transport information

The product is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations.

14.1. UN number or ID number

not applicable

14.2. UN proper shipping name

not applicable

14.3. Transport hazard class(es)



MAROIL S.R.L.

Revision nr. 13

KTS Competition

Dated 09/11/2022

Printed on 09/11/2022

Page n. 16/19

Replaced revision:12 (Printed on: 30/09/2021)

not applicable

14.4. Packing group

not applicable

14.5. Environmental hazards

not applicable

14.6. Special precautions for user

not applicable

14.7. Maritime transport in bulk according to IMO instruments

Information not relevant

SECTION 15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Seveso Category - Directive 2012/18/EU: None

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006

Product

Point 3 - 40

Contained substance

Point 75

Regulation (EU) 2019/1148 - on the marketing and use of explosives precursors

not applicable

Substances in Candidate List (Art. 59 REACH)

On the basis of available data, the product does not contain any SVHC in percentage \geq than 0,1%.

Substances subject to authorisation (Annex XIV REACH)

None

Substances subject to exportation reporting pursuant to Regulation (EU) 649/2012:

None

Substances subject to the Rotterdam Convention:

None

Substances subject to the Stockholm Convention:

None

Healthcare controls

Information not available

15.2. Chemical safety assessment

A chemical safety assessment has not been performed for the preparation/for the substances indicated in section 3.

SECTION 16. Other information

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Flam. Liq. 3	Flammable liquid, category 3
Carc. 2	Carcinogenicity, category 2
Repr. 1B	Reproductive toxicity, category 1B
Acute Tox. 1	Acute toxicity, category 1
Acute Tox. 2	Acute toxicity, category 2
Acute Tox. 3	Acute toxicity, category 3
Acute Tox. 4	Acute toxicity, category 4
Asp. Tox. 1	Aspiration hazard, category 1
Skin Corr. 1C	Skin corrosion, category 1C
Eye Dam. 1	Serious eye damage, category 1
Eye Irrit. 2	Eye irritation, category 2
Skin Irrit. 2	Skin irritation, category 2
STOT SE 3	Specific target organ toxicity - single exposure, category 3
Aquatic Acute 1	Hazardous to the aquatic environment, acute toxicity, category 1
Aquatic Chronic 1	Hazardous to the aquatic environment, chronic toxicity, category 1
Aquatic Chronic 2	Hazardous to the aquatic environment, chronic toxicity, category 2
Aquatic Chronic 3	Hazardous to the aquatic environment, chronic toxicity, category 3
H226	Flammable liquid and vapour.



H351	Suspected of causing cancer.
H360F	May damage fertility.
H330	Fatal if inhaled.
H310	Fatal in contact with skin.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H332	Harmful if inhaled.
H304	May be fatal if swallowed and enters airways.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H315	Causes skin irritation.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
EUH066	Repeated exposure may cause skin dryness or cracking.

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- ATE: Acute Toxicity Estimate
- CAS: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE: Identifier in ESIS (European archive of existing substances)
- CLP: Regulation (EC) 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: Regulation (EC) 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA: Time-weighted average exposure limit
- TWA STEL: Short-term exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).

GENERAL BIBLIOGRAPHY



MAROIL S.R.L.

Revision nr. 13

Dated 09/11/2022

KTS Competition

Printed on 09/11/2022

Page n. 19/19

Replaced revision:12 (Printed on: 30/09/2021)

1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
3. Regulation (EU) 2020/878 (II Annex of REACH Regulation)
4. Regulation (EC) 790/2009 (I Atp. CLP) of the European Parliament
5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament
11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
12. Regulation (EU) 2016/1179 (IX Atp. CLP)
13. Regulation (EU) 2017/776 (X Atp. CLP)
14. Regulation (EU) 2018/669 (XI Atp. CLP)
15. Regulation (EU) 2019/521 (XII Atp. CLP)
16. Delegated Regulation (UE) 2018/1480 (XIII Atp. CLP)
17. Regulation (EU) 2019/1148
18. Delegated Regulation (UE) 2020/217 (XIV Atp. CLP)
19. Delegated Regulation (UE) 2020/1182 (XV Atp. CLP)
20. Delegated Regulation (UE) 2021/643 (XVI Atp. CLP)
21. Delegated Regulation (UE) 2021/849 (XVII Atp. CLP)
22. Delegated Regulation (UE) 2022/692 (XVIII Atp. CLP)

- The Merck Index. - 10th Edition
- Handling Chemical Safety
- INRS - Fiche Toxicologique (toxicological sheet)
- Patty - Industrial Hygiene and Toxicology
- N.I. Sax - Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS website
- ECHA website
- Database of SDS models for chemicals - Ministry of Health and ISS (Istituto Superiore di Sanità) - Italy

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

CALCULATION METHODS FOR CLASSIFICATION

Chemical and physical hazards: Product classification derives from criteria established by the CLP Regulation, Annex I, Part 2. The data for evaluation of chemical-physical properties are reported in section 9.

Health hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 3, unless determined otherwise in Section 11.

Environmental hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 4, unless determined otherwise in Section 12.

Changes to previous review:

The following sections were modified:

03 / 08 / 11 / 12 / 15 / 16.