

Technos XFS AV504 5W-30

Revision nr. 5

Dated 20/06/2023 Printed on 12/07/2023

Page n. 1/17

Replaced revision:4 (Printed on: 30/03/2022)

Safety Data Sheet

According to Annex II to REACH - Regulation (EU) 2020/878 and to Annex II to UK REACH

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

M 308 Code:

Technos XFS AV504 5W-30 Product name

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use 4 Stroke auto engine oil

1.3. Details of the supplier of the safety data sheet

MAROIL S.R.L. Name

Full address LOC. PONTE ALLA CILIEGIA

District and Country 55011 MARGINONE ALTOPASCIO (LU)

ITALIA

Tel. 0583/28731 Fax 0583/286542

e-mail address of the competent person

responsible for the Safety Data Sheet msds@bardahl.it

1.4. Emergency telephone number

Numeri telefonici dei principali Centri Antiveleni italiani (attivi 24/24 ore) For urgent inquiries refer to

Centro Antiveleni di Pavia 0382 24444 (CAV IRCCS Fondazione Maugeri - Pavia) Centro Antiveleni di Milano 02 66101029 (CAV Ospedale Niguarda Ca` Granda - Milano)

Centro Antiveleni di Bergamo 800 883300 (CAV Ospedali Riuniti - Bergamo) Centro Antiveleni di Firenze 055 7947819 (CAV Ospedale Careggi - Firenze) Centro Antiveleni di Roma 06 3054343 (CAV Policlinico Gemelli - Roma) Centro Antiveleni di Roma 06 49978000 (CAV Policlinico Umberto I - Roma)

Centro Antiveleni di Napoli 081 7472870 (CAV Ospedale Cardarelli - Napoli)

SECTION 2. Hazards identification

2.1. Classification of the substance or mixture

The product is not classified as hazardous pursuant to the provisions set forth in EC Regulation 1272/2008 (CLP). However, since the product contains hazardous substances in concentrations such as to be declared in section no. 3, it requires a safety data sheet with appropriate information, compliant to (EU) Regulation 2020/878.

Hazard classification and indication:

2.2. Label elements



Revision nr. 5

Dated 20/06/2023 Printed on 12/07/2023

Page n. 2/17

Replaced revision:4 (Printed on: 30/03/2022)

Technos XFS AV504 5W-30

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms:

Signal words:

Hazard statements:

EUH210 Safety data sheet available on request.

EUH208 Contains: C14-16-18 Alkyl phenol

May produce an allergic reaction.

Precautionary statements:

2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage ≥ than 0,1%.

The product does not contain substances with endocrine disrupting properties in concentration ≥ 0.1%.

SECTION 3. Composition/information on ingredients

3.2. Mixtures

Contains:

Classification (EC) 1272/2008 (CLP) Identification x = Conc. %

lubricating oils (petroleum), C20-

50, based on neutral oil

INDEX 649-483-00-5 $6 \le x < 7$ Asp. Tox. 1 H304, Classification note according to Annex VI to the CLP

Regulation: L EC 276-738-4

CAS 72623-87-1

REACH Reg. 01-2119474889-13

Lubricating oils (petroleum), C20-

50, hydrotreated neutral oil-based

INDEX 649-483-00-5

Asp. Tox. 1 H304, Classification note according to Annex VI to the CLP $4 \le x < 4.5$

Regulation: L EC 276-738-4

CAS 72623-87-1

REACH Reg. 01-2119474889-13

Distillates (petroleum), hydrotreated heavy paraffinic

INDEX 649-467-00-8 $4 \le x < 4,5$ Asp. Tox. 1 H304, Classification note according to Annex VI to the CLP Regulation: L

EC 265-157-1

CAS 64742-54-7

REACH Reg. 01-2119484627-25

Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based



Revision nr. 5

Dated 20/06/2023

Printed on 12/07/2023

Page n. 3/17

Replaced revision:4 (Printed on: 30/03/2022)

Technos XFS AV504 5W-30

INDEX 649-482-00-X $4 \le x < 4,5$

Asp. Tox. 1 H304, Classification note according to Annex VI to the CLP

Regulation: L

EC 276-737-9 CAS 72623-86-0

REACH Reg. 01-2119474878-16

Paraffin oils (petroleum), catalytic

dewaxed heavy

INDEX 649-477-00-2 1,5 ≤ x < 2 Asp. Tox. 1 H304, Classification note according to Annex VI to the CLP

Regulation: L

EC 265-174-4 CAS 64742-70-7

REACH Reg. 01-2119487080-42

distillates (petroleum), solventdewaxed heavy paraffinic

INDEX 649-474-00-6 1,5 ≤ x < 2 Asp. Tox. 1 H304, Classification note according to Annex VI to the CLP

Regulation: L

EC 265-169-7 CAS 64742-65-0

REACH Reg. 01-2119471299-27

Distillates (petroleum), hydrotreated heavy paraffinic

INDEX 649-467-00-8 1,5 ≤ x < 2 Asp. Tox. 1 H304, Classification note according to Annex VI to the CLP

Regulation: L

EC 265-157-1 CAS 64742-54-7

REACH Reg. 01-2119484627-25

Distillates (petroleum), solvent-

dewaxed light paraffinic

INDEX 649-469-00-9 $1,5 \le x < 2$

,5 ≤ x < 2 Asp. Tox. 1 H304, Classification note according to Annex VI to the CLP

Regulation: L

EC 265-159-2 CAS 64742-56-9

REACH Reg. 01-2119480132-48

Phosphorodithioic acid, mixed O,O-bis(1,3-dimethylbutyl and iso-

Pr) esters, zinc salts

INDEX - $1 \le x < 1,5$ Eye Dam. 1 H318, Skin Irrit. 2 H315, Aquatic Chronic 2 H411

EC 283-392-8 Skin Irrit. 2 H315: ≥ 6,25%, Eye Dam. 1 H318: ≥ 12,5%, Eye Irrit. 2 H319: ≥

10%

CAS 84605-29-8

REACH Reg. 01-2119493626-26

C14-16-18 Alkyl phenol

INDEX - 0,1 ≤ x < 0,15 STOT RE 2 H373, Skin Sens. 1B H317

EC 931-468-2

CAS -

REACH Reg. 01-2119498288-19

benzenammina, Nfenil-,prodotti di reazione con 2,4,4-trimetilpentene

INDEX - $0.1 \le x < 0.15$ Repr. 2 H361f

EC 270-128-1 CAS 68411-46-1



Revision nr. 5

Dated 20/06/2023

Printed on 12/07/2023

Page n 4/17

Replaced revision:4 (Printed on: 30/03/2022)

Technos XFS AV504 5W-30

The full wording of hazard (H) phrases is given in section 16 of the sheet.

SECTION 4. First aid measures

4.1. Description of first aid measures

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 15 minutes, opening the eyelids fully. If problem persists, seek medical advice.

SKIN: Remove contaminated clothing. Rinse skin with a shower immediately. Get medical advice/attention immediately. Wash contaminated clothing before using it again.

INHALATION: Remove to open air. If the subject stops breathing, administer artificial respiration. Get medical advice/attention immediately.

INGESTION: Get medical advice/attention immediately. Do not induce vomiting. Do not administer anything not explicitly authorised by a doctor.

4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

4.3. Indication of any immediate medical attention and special treatment needed

Information not available

SECTION 5. Firefighting measures

5.1. Extinguishing media

SUITABLE EXTINGUISHING EQUIPMENT

The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray.

UNSUITABLE EXTINGUISHING EQUIPMENT

None in particular.

5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE Do not breathe combustion products.

5.3. Advice for firefighters

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

SECTION 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.



Dated 20/06/2023

Printed on 12/07/2023

Page n. 5/17

Revision nr. 5

Replaced revision:4 (Printed on: 30/03/2022)

Technos XFS AV504 5W-30

6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

SECTION 7. Handling and storage

7.1. Precautions for safe handling

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat.

7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store the containers sealed, in a well ventilated place, away from direct sunlight. Keep containers away from any incompatible materials, see section 10 for details.

7.3. Specific end use(s)

Information not available

SECTION 8. Exposure controls/personal protection

8.1. Control parameters

Predicted no-effect concent	ialion - FINEC							
Normal value for the food c	hain (secondary poison	ing)		9,33	mg	g/kg		
Health - Derived no-eff	ect level - DNEL / D	MEL						
	Effects on consumers				Effects on workers			
Route of exposure	Acute local	Acute systemic	Chronic local	Chronic systemic	Acute local	Acute systemic	Chronic local	Chronic systemic
Inhalation								
IIIIaiaiioii			1,2 mg/m3	VND			5,4 mg/m3	VND
IIIIaiaiiOII			1,2 mg/m3	VND			5,4 mg/m3	VND
	, hydrotreated heav	y paraffinic	1,2 mg/m3	VND			5,4 mg/m3	VND
	•	y paraffinic	1,2 mg/m3	VND			5,4 mg/m3	VND
Distillates (petroleum)	ration - PNEC		1,2 mg/m3	9,33	mg	ŋ/kg	5,4 mg/m3	VND
Distillates (petroleum) Predicted no-effect concent	ration - PNEC hain (secondary poison	ing)	1,2 mg/m3		mg	g/kg	5,4 mg/m3	VND
Distillates (petroleum) Predicted no-effect concent Normal value for the food c	ration - PNEC hain (secondary poison	ing)	1,2 mg/m3		mg Effects on workers	ŋ/kg	5,4 mg/m3	VND



Revision nr. 5

Dated 20/06/2023

Printed on 12/07/2023

VND

0,62 mg/kg

Page n. 6/17

Replaced revision:4 (Printed on: 30/03/2022)

Technos XFS AV504 5W-30

Normal value for the terrestrial compartment Acute DNEL DMEL Effects on consumers Effects on workers Effects on workers					systemic		systemic		systemic
Predicted no-effect concentration - PNEC Vormal value for the terrestrial compartment Acute local Acute systemic Syste	nhalation			1,2 mg/m3	VND		•	5,4 mg/m3	VND
Normal value for the terrestrial compartment Effects on consumers Route of exposure Acute local Acute systemic System			heavy paraffinic						
Health - Derived no-effect level - DNEL / DMEL Effects on consumers Chronic local Chronic local Chronic local Systemic S	Predicted no-effect concentration	n - PNEC							
Effects on consumers Route of exposure Acute local Acute systemic Chronic local Systemic Syst	Normal value for the terrestrial c	ompartment			263000	mg	/kg		
Route of exposure	Health - Derived no-effect	Effects on	DMEL						
Phosphorodithioic acid, mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters, zinc salts Predicted no-effect concentration - PNEC Normal value in fresh water 0,0046 mg/l Normal value in marine water 0,0548 mg/kg Health - Derived no-effect level - DNEL / DMEL Effects on consumers Route of exposure Acute local Acute systemic Chronic local Chronic Acute local Acute Chronic local Systemic Systemic Oral 0,24 mg/kg Inhalation 2,11 mg/m3 8,31 mg/m3 Skin 6,1 mg/kg 12,1 mg/m3 8,31 mg/m3 Skin 6,1 mg/kg 12,1 mg/kg benzenammina, Nfenil-prodotti di reazione con 2,4,4-trimetilpentene Predicted no-effect concentration - PNEC Normal value in fresh water 0,0051 mg/k Normal value for fresh water sediment 9320 mg/kg Normal value for the terrestrial compartment 1860 mg/kg Health - Derived no-effect level - DNEL / DMEL Effects on consumers Normal value for the terrestrial compartment 1860 mg/kg Health - Derived no-effect level - DNEL / DMEL Effects on consumers Route of exposure Acute local Acute systemic Chronic local Chronic Acute local Acute systemic Systemic Systemic Systemic Chronic local Chronic C	Route of exposure		Acute systemic	Chronic local				Chronic local	
Predicted no-effect concentration - PNEC Normal value in fresh water Normal value in marine water Normal value in marine water Normal value for the terrestrial compartment Health - Derived no-effect level - DNEL / DMEL Effects on consumers Route of exposure Acute local Acute systemic Chronic local Chronic systemic Systemic Systemic Acute local Acute Chronic local Chronic systemic	Inhalation			1,2 mg/m3			,	5,4 mg/m3	
Predicted no-effect concentration - PNEC Normal value in fresh water Normal value in marine water Normal value in marine water Normal value for the terrestrial compartment Health - Derived no-effect level - DNEL / DMEL Effects on consumers Route of exposure Acute local Acute systemic Chronic local Chronic systemic Systemic Systemic Acute local Acute Chronic local Chronic systemic	Phoenhorodithioic acid m	sived O O-bis(1	2_dimothylbutyl	and iso-Pr\ os:	tore zine calte	•			
Normal value in marine water Normal value for the terrestrial compartment O,0046 mg/l Normal value for the terrestrial compartment O,0548 mg/kg Health - Derived no-effect level - DNEL / DMEL Effects on consumers Route of exposure Acute local Acute systemic Chronic local Chronic systemic systemic systemic systemic systemic systemic Oral O,24 mg/kg Inhalation 2,11 mg/m3 8,31 mg/m3 Skin 6,1 mg/kg 12,1 mg/kg benzenammina, Nfenil-,prodotti di reazione con 2,4,4-trimetilpentene Predicted no-effect concentration - PNEC Normal value in fresh water 0,0051 mg/l Normal value in marine water 0,0051 mg/l Normal value for fresh water sediment 9320 mg/kg Normal value for marine water sediment 932 mg/kg Normal value for the terrestrial compartment 1860 mg/kg Health - Derived no-effect level - DNEL / DMEL Effects on consumers Route of exposure Acute local Acute systemic Chronic local Systemic systemic systemic systemic on the consumers of th			,3-aimethylbatyi	anu iso-ri) es	iers, zinc sans	<u> </u>			
Normal value for the terrestrial compartment Pealth - Derived no-effect level - DNEL / DMEL Effects on consumers Effects on consumers Effects on workers	Normal value in fresh water				0,004	mg	/I		
Health - Derived no-effect level - DNEL / DMEL Effects on consumers Route of exposure Acute local Acute systemic Chronic local Systemic Systemic Oral Oral Oral Oral Acute systemic Chronic local Systemic Systemic Systemic Systemic Systemic Systemic Systemic Systemic Oral Oranic local Systemic Systemic Systemic Oral Oral Oranic local Acute Systemic Systemic Oral Oranic local Systemic Oral Oranic local Systemic Systemic Oral Oranic local Systemic Systemic Oranic local Systemic Systemic Oranic local Systemic	Normal value in marine water				0,0046	mg	/I		
Effects on consumers Route of exposure Acute local Acute systemic Chronic local Systemic Systemic O.24 mg/kg Inhalation Z,11 mg/m3 Skin Acute systemic O.24,4-trimetilpentene Predicted no-effect concentration - PNEC Normal value in fresh water Normal value for fresh water sediment Normal value for marine water sediment Normal value for marine water sediment Normal value for the terrestrial compartment Health - Derived no-effect level - DNEL / DMEL Effects on consumers Route of exposure Acute local Acute systemic Chronic local Systemic Systemic Chronic systemic Chronic local Chronic systemic Chronic local Chronic systemic Chronic systemic Chronic local Chronic systemic Chronic systemic Chronic local Chronic systemic Chronic local Systemic Chronic local Chronic systemic Chronic systemic Ola VND Ola 1 mg/kg	Normal value for the terrestrial c	ompartment			0,0548	mg	/kg		
Route of exposure Acute local Acute systemic Chronic local Systemic Systemi	Health - Derived no-effect	level - DNEL / [OMEL						
Route of exposure Acute local Acute systemic Chronic local Systemic Systemi									
Systemic systemic systemic systemic systemic systemic systemic systemic systemic or no networks of the property of the propert	Route of exposure		Acute systemic	Chronic local	Chronic		Acute	Chronic local	Chronic
Inhalation 2,11 mg/m3 8,31 mg/m Skin 6,1 mg/kg 12,11 mg/kg benzenammina, Nfenil-,prodotti di reazione con 2,4,4-trimetilpentene Predicted no-effect concentration - PNEC Normal value in fresh water 0,051 mg/l Normal value in marine water 0,0051 mg/l Normal value for fresh water sediment 9320 mg/kg Normal value for marine water sediment 932 mg/kg Normal value for the terrestrial compartment 1860 mg/kg Health - Derived no-effect level - DNEL / DMEL Effects on consumers Route of exposure Acute local Acute systemic Chronic local Chronic systemic systemic Systemic Systemic Systemic Chronic local Chronic systemic	rodic of exposure	Acute local	Acute Systemic	Official local		Acate local		Omonic local	
Skin 6,1 mg/kg 12,1 mg/kg benzenammina, Nfenil-,prodotti di reazione con 2,4,4-trimetilpentene Predicted no-effect concentration - PNEC Normal value in fresh water 0,051 mg/l Normal value in marine water 0,0051 mg/l Normal value for fresh water sediment 9320 mg/kg Normal value for marine water sediment 932 mg/kg Normal value for the terrestrial compartment 1860 mg/kg Health - Derived no-effect level - DNEL / DMEL Effects on consumers Route of exposure Acute local Acute systemic Chronic local Chronic systemic Systemic Systemic Oral VND 0,31 mg/kg	Oral				0,24 mg/kg				
benzenammina, Nfenil-,prodotti di reazione con 2,4,4-trimetilpentene Predicted no-effect concentration - PNEC Normal value in fresh water 0,0051 mg/l Normal value in marine water 0,0051 mg/l Normal value for fresh water sediment 9320 mg/kg Normal value for marine water sediment 932 mg/kg Normal value for the terrestrial compartment 1860 mg/kg Health - Derived no-effect level - DNEL / DMEL Effects on consumers Route of exposure Acute local Acute systemic Chronic local Chronic systemic Oral VND 0,31 mg/kg	Inhalation				2,11 mg/m3				8,31 mg/m3
Predicted no-effect concentration - PNEC Normal value in fresh water 0,051 mg/l Normal value in marine water 0,0051 mg/l Normal value for fresh water sediment 9320 mg/kg Normal value for marine water sediment 932 mg/kg Normal value for the terrestrial compartment 1860 mg/kg Health - Derived no-effect level - DNEL / DMEL Effects on consumers Route of exposure Acute local Acute systemic Chronic local Chronic systemic Systemic Systemic VND 0,31 mg/kg	Skin				6,1 mg/kg				12,1 mg/kg
Predicted no-effect concentration - PNEC Normal value in fresh water 0,051 mg/l Normal value in marine water 0,0051 mg/l Normal value for fresh water sediment 9320 mg/kg Normal value for marine water sediment 932 mg/kg Normal value for the terrestrial compartment 1860 mg/kg Health - Derived no-effect level - DNEL / DMEL Effects on consumers Route of exposure Acute local Acute systemic Chronic local Systemic Systemic Systemic Oral VND 0,31 mg/kg	harman Marillan	- 1-46 - 11		-(!					
Normal value in marine water 0,0051 mg/l Normal value for fresh water sediment 9320 mg/kg Normal value for marine water sediment 932 mg/kg Normal value for the terrestrial compartment 1860 mg/kg Health - Derived no-effect level - DNEL / DMEL Effects on consumers Route of exposure Acute local Acute systemic Chronic local Systemic Systemic Systemic Systemic Oral VND 0,31 mg/kg			ne con 2,4,4-trim	etiipentene					
Normal value in marine water 0,0051 mg/l Normal value for fresh water sediment 9320 mg/kg Normal value for marine water sediment 932 mg/kg Normal value for the terrestrial compartment 1860 mg/kg Health - Derived no-effect level - DNEL / DMEL Effects on consumers Route of exposure Acute local Acute systemic Chronic local Chronic systemic Systemic Systemic Systemic Oral VND 0,31 mg/kg					0,051	mc	<u>/</u> I		
Normal value for fresh water sediment 9320 mg/kg Normal value for marine water sediment 932 mg/kg Normal value for the terrestrial compartment 1860 mg/kg Health - Derived no-effect level - DNEL / DMEL Effects on consumers Route of exposure Acute local Acute systemic Oral VND 0,31 mg/kg	Normal value in marine water				0,0051				
Normal value for marine water sediment 932 mg/kg Normal value for the terrestrial compartment 1860 mg/kg Health - Derived no-effect level - DNEL / DMEL Effects on consumers Effects on workers Route of exposure Acute local Acute systemic Chronic local Systemic Systemic Systemic Systemic Oral VND 0,31 mg/kg	Normal value for fresh water sec	diment							
Health - Derived no-effect level - DNEL / DMEL Effects on consumers Route of exposure Acute local Acute systemic Chronic local Systemic Systemic VND 0,31 mg/kg Effects on workers Chronic systemic	Normal value for marine water s	ediment			932	mg	/kg		
Effects on consumers Route of exposure Acute local Acute systemic Chronic local Systemic Sy	Normal value for the terrestrial c	ompartment			1860	mg	/kg		
Route of exposure Acute local Acute systemic Chronic local Chronic systemic Acute local Acute Chronic local Chronic systemic Systemic Oral VND 0,31 mg/kg	Health - Derived no-effect	Effects on	DMEL						
Oral VND 0,31 mg/kg	Route of exposure		Acute systemic	Chronic local				Chronic local	
Inhalation VND 1,09 mg/m3 VND 4,37 mg/m3	Oral			VND			.,		.,
	1.1.1.0			VAID	1.00			VND	4.27 mg/m

VND = hazard identified but no DNEL/PNEC available ; NEA = no exposure expected ; NPI = no hazard identified ; LOW = low hazard ; MED = medium hazard ; HIGH = high hazard.

0,31 mg/kg

VND

8.2. Exposure controls

Skin

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.



Technos XFS AV504 5W-30

Revision nr. 5

Dated 20/06/2023

Printed on 12/07/2023

Page n. 7/17

Replaced revision:4 (Printed on: 30/03/2022)

HAND PROTECTION

Protect hands with category III work gloves (see standard EN 374).

The following should be considered when choosing work glove material: compatibility, degradation, failure time and permeability.

The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

SKIN PROTECTION

Wear category I professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

EYE PROTECTION

Wear airtight protective goggles (see standard EN 166).

RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, use a mask with a type A filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required.

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.

ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

SECTION 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Value liquid	Information
yellowish	
characteristic	
not available	
193 °C	
not available	
not available	
not available	
70 cSt	
not available	
not available	
not available	
0,852 kg/l	
not available	
not applicable	
	liquid yellowish characteristic not available not available not available not available not available not available 193 °C not available

Information



Revision nr. 5

Dated 20/06/2023

Printed on 12/07/2023

Page n. 8/17

Replaced revision:4 (Printed on: 30/03/2022)

Technos XFS AV504 5W-30

9.2. Other information

9.2.1. Information with regard to physical hazard classes

Information not available

9.2.2. Other safety characteristics

Viscosità a 100°C 11,80 cSt Punto di scorrimento -46°C

Consistenza Non pertinente
Punto di gocciolamento Non pertinente
Viscosita a 40°C 70.05 cSt

SECTION 10. Stability and reactivity

10.1. Reactivity

There are no particular risks of reaction with other substances in normal conditions of use.

10.2. Chemical stability

The product is stable in normal conditions of use and storage.

10.3. Possibility of hazardous reactions

No hazardous reactions are foreseeable in normal conditions of use and storage.

10.4. Conditions to avoid

None in particular. However the usual precautions used for chemical products should be respected.

10.5. Incompatible materials

Information not available

10.6. Hazardous decomposition products

Information not available

SECTION 11. Toxicological information

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification.

It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.



Revision nr. 5

Dated 20/06/2023

Printed on 12/07/2023

Page n. 9/17

Replaced revision:4 (Printed on: 30/03/2022)

Technos XFS AV504 5W-30

11.1. Information on	hazard classes as	defined in Regulation	(EC) No 1272/2008

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

Interactive effects

Information not available

ACUTE TOXICITY

ATE (Inhalation) of the mixture:

ATE (Oral) of the mixture:

Not classified (no significant component)

Not classified (no significant component)

ATE (Dermal) of the mixture:

Not classified (no significant component)

lubricating oils (petroleum), C20-50, based on neutral oil

LD50 (Dermal):> 2000 mg/kg Coniglio - OECD Guideline 402LD50 (Oral):> 5000 mg/kg Ratto - OECD Guideline 401LC50 (Inhalation vapours):> 5,53 mg/l/4h Ratto - OECD Guideline 403

Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based

LD50 (Dermal):> 5000 mg/kg Coniglio - OECD Guideline 402LD50 (Oral):> 5000 mg/kg Ratto - OECD Guideline 401LC50 (Inhalation vapours):> 5,53 mg/l/4h Ratto - OECD Guideline 403

Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based

LD50 (Dermal): > 5000 mg/kg Coniglio - OECD Guideline 402
LD50 (Oral): > 5000 mg/kg Ratto - OECD Guideline 401
LC50 (Inhalation vapours): > 5,53 mg/l/4h Ratto - OECD Guideline 403



Revision nr. 5

Dated 20/06/2023

Printed on 12/07/2023

Page n. 10/17

Replaced revision:4 (Printed on: 30/03/2022)

Technos XFS AV504 5W-30

Distillates (petroleum), hydrotreated heavy paraffinic

LD50 (Dermal): > 5000 mg/kg Coniglio - OECD Guideline 402 LD50 (Oral): > 5000 mg/kg Ratto - OECD Guideline 401 LC50 (Inhalation vapours): > 5,53 mg/l/4h Ratto - OECD Guideline 403

Distillates (petroleum), solvent-dewaxed light paraffinic

LD50 (Dermal): > 5000 mg/kg OECD Guideline 402 - Ratto LD50 (Oral): > 5000 mg/kg OECD Guideline 401 - Ratto

LC50 (Inhalation vapours): 2,18 mg/l/4h Equivalente o similaare a OECD Guideline 403 - Ratto

Distillates (petroleum), hydrotreated heavy paraffinic

LD50 (Dermal):> 5000 mg/kg Coniglio - OECD Guideline 402LD50 (Oral):> 5000 mg/kg Ratto - OECD Guideline 401LC50 (Inhalation vapours):> 5,53 mg/l/4h Ratto - OECD Guideline 403

distillates (petroleum), solvent-dewaxed heavy paraffinic

LD50 (Dermal): > 5000 mg/kg Conigilo - OECD Guideline 402
LD50 (Oral): > 5000 mg/kg Ratto - OECD Guideline 401
LC50 (Inhalation vapours): > 5,53 mg/l/4h Ratto - OECD Guideline 403

Paraffin oils (petroleum), catalytic dewaxed heavy

LD50 (Dermal): > 5000 mg/kg OECD Guideline 402 - Coniglio LD50 (Oral): > 5000 mg/kg OECD Guideline 401 - Ratto

LC50 (Inhalation vapours): 2,18 mg/l/4h Equivalente o similare a OECD Guideline 403 - Ratto

Phosphorodithioic acid, mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters, zinc salts

LD50 (Dermal): > 2002 mg/kg Ratto - Equivalente o similare a OECD Guideline 402 LD50 (Oral): 3100 mg/kg Ratto - Equivalente o similare a OECD Guideline 401 LC50 (Inhalation vapours): > 2,3 mg/l/4h Ratto - Equivalente o similare a OECD Guideline 403

C14-16-18 Alkyl phenol

LD50 (Dermal): > 2000 mg/kg Ratto - OECD Guideline 402 LD50 (Oral): > 2000 mg/kg Ratto - OECD Guideline 423

benzenammina, Nfenil-,prodotti di reazione con 2,4,4-trimetilpentene

LD50 (Dermal): > 2000 mg/kg Ratto - Equivalente o similare a OECD Guideline 402 LD50 (Oral): > 5000 mg/kg Ratto - OECD Guideline 401

SKIN CORROSION / IRRITATION

Does not meet the classification criteria for this hazard class

SERIOUS EYE DAMAGE / IRRITATION



Revision nr. 5

Dated 20/06/2023

Printed on 12/07/2023

Page n. 11/17

Replaced revision:4 (Printed on: 30/03/2022)

Technos XFS AV504 5W-30

Does not meet the classification criteria for this hazard class

RESPIRATORY OR SKIN SENSITISATION

May produce an allergic reaction. Contains: C14-16-18 Alkyl phenol

GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

CARCINOGENICITY

Does not meet the classification criteria for this hazard class

REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

STOT - SINGLE EXPOSURE

Does not meet the classification criteria for this hazard class

STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class Viscosity: 70 cSt

11.2. Information on other hazards

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with



Revision nr. 5

Dated 20/06/2023 Printed on 12/07/2023

Page n. 12/17

Replaced revision:4 (Printed on: 30/03/2022)

Technos XFS AV504 5W-30

human health effects under evaluation.

SECTION 12. Ecological information

Use this product according to good working practices. Avoid littering. Inform the competent authorities, should the product reach waterways or contaminate soil or vegetation.

12.1. Toxicity

Phosphorodithioic acid, mixed O,O-bis(1,3dimethylbutyl and iso-Pr) esters, zinc salts

LC50 - for Fish

EC50 - for Algae / Aquatic Plants

Chronic NOEC for Crustacea

C14-16-18 Alkyl phenol

LC50 - for Fish

EC50 - for Crustacea

EC50 - for Algae / Aquatic Plants

Distillates (petroleum), hydrotreated heavy

paraffinic

EC50 - for Crustacea

Chronic NOEC for Crustacea

Distillates (petroleum), hydrotreated heavy

paraffinic

EC50 - for Crustacea

Chronic NOEC for Crustacea

benzenammina, Nfenil-,prodotti di reazione

con 2,4,4-trimetilpentene LC50 - for Fish

FC50 - for Crustacea

EC50 - for Algae / Aquatic Plants

12.2. Persistence and degradability

lubricating oils (petroleum), C20-50, based

on neutral oil

Entirely degradable

OECD Guideline 301 F

Phosphorodithioic acid, mixed O,O-bis(1,3dimethylbutyl and iso-Pr) esters, zinc salts

NOT rapidly degradable

OECD Guideline 301 B

C14-16-18 Alkyl phenol

Degradability: information not available

Lubricating oils (petroleum), C15-30,

4,5 mg/l/96h In accordo con OECD 203 - Trota Iridea

21 mg/l/72h In accordo OECD TG 201 - Alga verde

0,4 mg/l/21d Daphnia magna

> 100 mg/l/96h Cyprinus carpio - OECD Guideline 203

> 100 mg/l/48h Daphnia magna - OECD Guideline 202

> 100 mg/l/72h Pseudokirchnerella subcapitata -

> 10000 mg/l/48h Dafnia

10 mg/l/21d Dafnia

> 10000 mg/l/48h Dafnia

10 mg/l/21d Dafnia

> 100 mg/l/96h Danio rerio - OECD Guideline 203

51 mg/l/48h Daphnia magna - OECD Guideline 202

> 100 mg/l/72h Desmodesmus subspicatus - OECD Guideline 201



Revision nr. 5

Dated 20/06/2023

Printed on 12/07/2023

Page n. 13/17

Replaced revision:4 (Printed on: 30/03/2022)

Technos XFS AV504 5W-30

hydrotreated neutral oil-based Entirely degradable

OECD Guideline 301 F Distillates (petroleum), hydrotreated heavy paraffinic Entirely degradable

OECD Guideline 301 F Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based Entirely degradable

OECD Guideline 301 F Distillates (petroleum), hydrotreated heavy paraffinic Entirely degradable

OECD Guideline 301 F distillates (petroleum), solvent-dewaxed heavy paraffinic Entirely degradable

OECD Guideline 301 F benzenammina, Nfenil-,prodotti di reazione con 2,4,4-trimetilpentene NOT rapidly degradable

1 % in 28 d Linee Guida 301 B per il Test dell'OECD

12.3. Bioaccumulative potential

Information not available

12.4. Mobility in soil

Information not available

12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage ≥ than 0,1%.

12.6. Endocrine disrupting properties

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with environmental effects under evaluation.

12.7. Other adverse effects

Information not available

SECTION 13. Disposal considerations



Revision nr. 5

Dated 20/06/2023
Printed on 12/07/2023

Page n. 14/17

Replaced revision:4 (Printed on: 30/03/2022)

Technos XFS AV504 5W-30

13.1. Waste treatment methods
Reuse, when possible. Neat product residues should be considered special non-hazardous waste. Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations. CONTAMINATED PACKAGING
Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.
SECTION 14. Transport information
The product is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations.
14.1. UN number or ID number
not applicable
14.2. UN proper shipping name
not applicable
14.3. Transport hazard class(es)
not applicable
14.4. Packing group
not applicable
14.5. Environmental hazards
not applicable
14.6. Special precautions for user
not applicable



Revision nr. 5

Dated 20/06/2023

Printed on 12/07/2023

Page n. 15/17

Replaced revision:4 (Printed on: 30/03/2022)

Technos XFS AV504 5W-30

14.7. Maritime transport in bulk according to IMO instruments

Information not relevant

SECTION 15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Seveso Category - Directive 2012/18/EU: None

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006

None

Regulation (EU) 2019/1148 - on the marketing and use of explosives precursors

not applicable

Substances in Candidate List (Art. 59 REACH)

On the basis of available data, the product does not contain any SVHC in percentage ≥ than 0,1%.

Substances subject to authorisation (Annex XIV REACH)

None

Substances subject to exportation reporting pursuant to Regulation (EU) 649/2012:

None

Substances subject to the Rotterdam Convention:

None

Substances subject to the Stockholm Convention:

None

Healthcare controls

Information not available

15.2. Chemical safety assessment

A chemical safety assessment has not been performed for the preparation/for the substances indicated in section 3.

SECTION 16. Other information

Text of hazard (H) indications mentioned in section 2-3 of the sheet:



Revision nr. 5

Dated 20/06/2023 Printed on 12/07/2023

Page n. 16/17

Replaced revision:4 (Printed on: 30/03/2022)

Technos XFS AV504 5W-30

Repr. 2 Reproductive toxicity, category 2 Asp. Tox. 1 Aspiration hazard, category 1

STOT RE 2 Specific target organ toxicity - repeated exposure, category 2

Eve Dam. 1 Serious eye damage, category 1

Skin Irrit. 2 Skin irritation, category 2 Skin Sens. 1B Skin sensitization, category 1B

Aquatic Chronic 2 Hazardous to the aquatic environment, chronic toxicity, category 2

H361f Suspected of damaging fertility.

H304 May be fatal if swallowed and enters airways.

H373 May cause damage to organs through prolonged or repeated exposure.

H318 Causes serious eve damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H411 Toxic to aquatic life with long lasting effects. EUH210 Safety data sheet available on request.

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- ATE: Acute Toxicity Estimate
- CAS: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE: Identifier in ESIS (European archive of existing substances)
- CLP: Regulation (EC) 1272/2008 **DNEL: Derived No Effect Level**
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: Regulation (EC) 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA: Time-weighted average exposure limit
- TWA STEL: Short-term exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).

GENERAL BIBLIOGRAPHY

- 1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
- 2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
- 3. Regulation (EU) 2020/878 (II Annex of REACH Regulation)
- 4. Regulation (EC) 790/2009 (I Atp. CLP) of the European Parliament
- 5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament



Revision nr. 5

Dated 20/06/2023 Printed on 12/07/2023

Page n. 17/17

Replaced revision:4 (Printed on: 30/03/2022)

Technos XFS AV504 5W-30

- 6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
- 7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
- 8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
- 9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
- 10. Regulation (EÚ) 2015/1221 (VII Atp. CLP) of the European Parliament
- 11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
- 12. Regulation (EU) 2016/1179 (IX Atp. CLP)
- 13. Regulation (EU) 2017/776 (X Atp. CLP)
- 14. Regulation (EU) 2018/669 (XI Atp. CLP)
- 15. Regulation (EU) 2019/521 (XII Atp. CLP)
- 16. Delegated Regulation (UE) 2018/1480 (XIII Atp. CLP)
- 17. Regulation (EU) 2019/1148
- 18. Delegated Regulation (UE) 2020/217 (XIV Atp. CLP) 19. Delegated Regulation (UE) 2020/1182 (XV Atp. CLP)
- 20. Delegated Regulation (UE) 2021/643 (XVI Atp. CLP)
- 21. Delegated Regulation (UE) 2021/849 (XVII Atp. CLP)
- 22. Delegated Regulation (UE) 2022/692 (XVIII Atp. CLP)
- The Merck Index. 10th Edition Handling Chemical Safety
- INRS Fiche Toxicologique (toxicological sheet)
- Patty Industrial Hygiene and Toxicology
- N.I. Sax Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS website
- FCHA website
- Database of SDS models for chemicals Ministry of Health and ISS (Istituto Superiore di Sanità) Italy

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

CALCULATION METHODS FOR CLASSIFICATION

Chemical and physical hazards: Product classification derives from criteria established by the CLP Regulation, Annex I, Part 2. The data for evaluation of chemical-physical properties are reported in section 9.

Health hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 3, unless determined otherwise in Section 11.

Environmental hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 4, unless determined otherwise in Section 12.

Changes to previous review:

The following sections were modified:

03 / 08 / 11 / 12 / 16.