BARDAHL	MAROIL S.R.L.	Revision nr. 2
		Dated 24/11/2021
	Antifreeze Si-OA Tech	Printed on 24/11/2021
	Antineeze SI-OA Tech	Page n. 1/15
		Replaced revision:1 (Printed on: 27/09/2018)
<b>SECTION 1. Identification</b> <b>1.1. Product identifier</b> Code: Product name	Safety Data Sheet According to Annex II to REACH - Regulation 2020/878 of the substance/mixture and of the company/unde M 752040 Antifreeze Si-OA Tech	rtaking
1.2. Relevant identified uses of the Intended use Cool	e substance or mixture and uses advised against ant	
1.3. Details of the supplier of the s	afety data sheet	
Name	MAROIL S.R.L.	
Full address District and Country	LOC. PONTE ALLA CILIEGIA 55011 MARGINONE ALTOPASCIO (LU)	
,	ITALIA	
	Tel. 0583/28731	
	Fax 0583/286542	
e-mail address of the competent pers	son	
responsible for the Safety Data Shee	t msds@bardahl.it	
<b>1.4. Emergency telephone number</b> For urgent inquiries refer to	Numeri telefonici dei principali Centri Antiveleni italiar Centro Antiveleni di Pavia 0382 24444 (CAV IRCCS For Centro Antiveleni di Milano 02 66101029 (CAV Ospeda Centro Antiveleni di Bergamo 800 883300 (CAV Ospeda Centro Antiveleni di Firenze 055 7947819 (CAV Ospeda Centro Antiveleni di Roma 06 3054343 (CAV Policlinica Centro Antiveleni di Roma 06 49978000 (CAV Policlinica Centro Antiveleni di Napoli 081 7472870 (CAV Ospeda	ndazione Maugeri - Pavia) le Niguarda Ca` Granda - Milano) ali Riuniti - Bergamo) ale Careggi - Firenze) o Gemelli - Roma) co Umberto I - Roma)
SECTION 2. Hazards ider	tification	

### 2.1. Classification of the substance or mixture

The product is classified as hazardous pursuant to the provisions set forth in (EC) Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of (EU) Regulation 2020/878. Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

Hazard classification and indication:	
Acute toxicity, category 4	H302
Specific target organ toxicity - repeated exposure, category 2	H373

Harmful if swallowed. May cause damage to organs through prolonged or repeated exposure.

	MAROIL S.R.L.	Revision nr. 2
		Dated 24/11/2021
	Antifreeze Si-OA Tech	Printed on 24/11/2021
		Page n. 2/15 Replaced revision:1 (Printed on: 27/09/2018)
2.2. Label elements		
Hazard labelling pursuant to E	C Regulation 1272/2008 (CLP) and subsequent amendments and supplements.	
Hazard pictograms:		
Signal words:	Varning	
Hazard statements:		
H302	Harmful if swallowed.	
H373 N	Nay cause damage to organs through prolonged or repeated exposure.	
Precautionary statements:		
<b>P501</b>	Dispose of contents / container in accordance with national regulations.	
P102	Keep out of reach of children. f medical advice is needed, have product container or label at hand.	
P314 (	Get medical advice / attention if you feel unwell.	
	Do not eat, drink or smoke when using this product. Nash with soap and water thoroughly after handling.	
Contains: E	ETHANEDIOL	
2.3. Other hazards		
On the basis of available data	, the product does not contain any PBT or vPvB in percentage ≥ than 0,1%.	
The product does not contain	substances with endocrine disrupting properties in concentration $>= 0.1$ %.	

# SECTION 3. Composition/information on ingredients

### 3.2. Mixtures

Contains:

Identification	x = Conc. %	Classification 1272/2008 (CLP)
ETHANEDIOL		
CAS 107-21-1	96 ≤ x < 100	Acute Tox. 4 H302, STOT RE 2 H373
EC 203-473-3		LD50 Oral: >300 mg/kg
INDEX 603-027-00-1		
REACH Reg. 01-2119456816-28- xxxx		

	<b>H</b>
1	BARDAHL

Revision nr. 2

# Antifreeze Si-OA Tech

Dated 24/11/2021

Printed on 24/11/2021

Page n. 3/15

Replaced revision:1 (Printed on: 27/09/2018)

The full wording of hazard (H) phrases is given in section 16 of the sheet.

### **SECTION 4. First aid measures**

### 4.1. Description of first aid measures

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 15 minutes, opening the eyelids fully. If problem persists, seek medical advice.

SKIN: Remove contaminated clothing. Wash immediately with plenty of water. If irritation persists, get medical advice/attention. Wash contaminated clothing before using it again.

INHALATION: Remove to open air. In the event of breathing difficulties, get medical advice/attention immediately.

INGESTION: Get medical advice/attention. Induce vomiting only if indicated by the doctor. Never give anything by mouth to an unconscious person, unless authorised by a doctor.

### 4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

### 4.3. Indication of any immediate medical attention and special treatment needed

Information not available

### **SECTION 5. Firefighting measures**

### 5.1. Extinguishing media

SUITABLE EXTINGUISHING EQUIPMENT The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray. UNSUITABLE EXTINGUISHING EQUIPMENT None in particular.

### 5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE Do not breathe combustion products.

### 5.3. Advice for firefighters

### GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

### **SECTION 6.** Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Block the leakage if there is no hazard.

BARDAHL	MAROIL S.R.L.	Revision nr. 2
		Dated 24/11/2021
	Antifreeze Si-OA Tech	Printed on 24/11/2021
		Page n. 4/15
		Replaced revision:1 (Printed on: 27/09/2018)

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

### 6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

### 6.3. Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

#### 6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

# **SECTION 7. Handling and storage**

### 7.1. Precautions for safe handling

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat.

#### 7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store the containers sealed, in a well ventilated place, away from direct sunlight. Keep containers away from any incompatible materials, see section 10 for details.

### 7.3. Specific end use(s)

Information not available

### SECTION 8. Exposure controls/personal protection

### 8.1. Control parameters

Regulatory References:

BGR	България	НАРЕДБА № 13 ОТ 30 ДЕКЕМВРИ 2003 Г. ЗА ЗАЩИТА НА РАБОТЕЩИТЕ ОТ РИСКОВЕ, СВЪРЗАНИ С ЕКСПОЗИЦИЯ НА ХИМИЧНИ АГЕНТИ ПРИ РАБОТА (изм. ДВ. бр.5 от 17 Януари 2020г.)
CZE	Česká Republika	Nařízení vlády č. 41/2020 Sb. Nařízení vlády, kterým se mění nařízení vlády č. 361/2007 Sb., kterým se stanoví podmínky ochrany zdraví při práci, ve znění pozdějších předpisů
DEU	Deutschland	Technischen Regeln für Gefahrstoffe (TRGS 900) - Liste der Arbeitsplatzgrenzwerte und Kurzzeitwerte. MAK- und BAT-Werte-Liste 2020, Ständige Senatskommission zur Prüfung gesundheitsschädlicher Arbeitsstoffe. Mitteilung 56
DNK	Danmark	Bekendtgørelse om grænseværdier for stoffer og materialer - BEK nr 1458 af 13/12/2019
ESP	España	Límites de exposición profesional para agentes guímicos en España 2021
EST	Eesti	Ohtlike kemikaalide ja neid sisaldavate materjalide kasutamise töötervishoiu ja tööohutuse nõuded ning töökeskkonna keemiliste ohutegurite piirnormid IRT I. 17.10.2019. 1 - jõust. 17.01.2020]
FRA	France	Valeurs limites d'exposition professionnelle aux agents chimigues en France. ED 984 - INRS
FIN	Suomi	HTP-VÄRDEN 2020. Koncentrationer som befunnits skadliga. SOCIAL - OCH HÄLSOVÅRDSMINISTERIETS PUBLIKATIONER 2020:25
GRC	Ελλάδα	Π.Δ. 26/2020 (ΦΕΚ 50/Α` 6.3.2020) Εναρμόνιση της ελληνικής νομοθεσίας προς τις διατάξεις των οδηγιών 2017/2398/ΕΕ, 2019/130/ΕΕ και 2019/983/ΕΕ «για την τροποποίηση της οδηγίας 2004/37/ΕΚ ``σχετικά με την προστασία των εργαζομένων από τους κινδύνους που συνδέονται με την έκθεση σε καρκινογόνους ή

BARDAHL		MAROIL S.R.L.	Revision nr. 2
•			Dated 24/11/2021
		Antifreeze Si-OA Tech	Printed on 24/11/2021
			Page n. 5/15
			Replaced revision:1 (Printed on: 27/09/2018)
HUN	Magyarország	μεταλλαξιγόνους παράγοντες κατά την εργασία``» Az innovációért és technológiáért felelős miniszter 5/2020. (II. 6.) ITM re hatásának kitett munkavállalók egészségének és biztonságának védeln	néről
HRV	Hrvatska	Pravilnik o izmjenama i dopunama Pravilnika o zaštiti radnika od izložer graničnim vrijednostima izloženosti i biološkim graničnim vrijednostima (	
ITA	Italia	Decreto Legislativo 9 Aprile 2008, n.81	
LVA	Latvija	Grozījumi Ministru kabineta 2007. gada 15. maija noteikumos Nr. 325 "[ saskarē ar ķīmiskajām vielām darba vietās" (prot. Nr. 32 18. §; prot. Nr.	
NLD	Nederland	Arbeidsomstandighedenregeling. Lijst van wettelijke grenswaarden op g lid. en 4.16. eerste lid. van het Arbeidsomstandighedenbesluit	grond van de artikelen 4.3, eerste
PRT	Portugal	Decreto-Lei n.º 1/2021 de 6 de janeiro, valores-limite de exposição profi químicos. Decreto-Lei n.º 35/2020 de 13 de julho, proteção dos trabalha exposição durante o trabalho a agentes cancerígenos ou mutagénicos	
POL	Polska	Rozporządzenie ministra rozwoju, pracy i technologii z dnia 18 lutego 2 w sprawie najwyższych dopuszczalnych stężeń i natężeń czynników szł środowisku pracy	
ROU	România	Hotărârea nr. 53/2021 pentru modificarea hotărârii guvernului nr. 1.218/ și completarea hotărârii guvernului nr. 1.093/2006	
SWE	Sverige	Hygieniska gränsvärden, Arbetsmiljöverkets föreskrifter och allmänna rå 2018:1)	åd om hygieniska gränsvärden (AFS
SVK	Slovensko	NARIADENIE VLÁDY Slovenskej republiky z 12. augusta 2020, ktorým Slovenskej republiky č. 356/2006 Z. z. o ochrane zdravia zamestnancov expozíciou karcinogénnym a mutagénnym faktorom pri práci v znení ne	v pred rizikami súvisiacimi s
SVN	Slovenija	Pravilnik o varovanju delavcev pred tveganji zaradi izpostavljenosti kem RS, št. 100/01, 39/05, 53/07, 102/10, 43/11 - ZVZD-1, 38/15, 78/18 in 78/19)	
GBR EU	United Kingdom OEL EU	EH40/2005 Workplace exposure limits (Fourth Edition 2020) Directive (EU) 2019/1831; Directive (EU) 2019/130; Directive (EU) 2019 Directive (EU) 2017/164; Directive 2009/161/EU; Directive 2006/15/EC; 2000/39/EC; Directive 98/24/EC; Directive 91/322/EEC.	
	TLV-ACGIH	ACGIH 2020	

### ETHANEDIOL

Threshold Limit Value	Country	TWA/8h	TWA/8h			Remarks / Observations	
		mg/m3	ppm	mg/m3	ppm		
TLV	BGR	52		104		SKIN	
TLV	CZE	50		100		SKIN	
МАК	DEU	26	10	52	20	SKIN	
TLV	DNK	26	10			SKIN	
VLA	ESP	52	20	104	40	SKIN	
TLV	EST	52	20	104	40	SKIN	
VLEP	FRA	52	20	104	40	SKIN	
HTP	FIN	50	20	100	40	SKIN	
TLV	GRC	125	50	125	50		
AK	HUN	52		104			
GVI/KGVI	HRV	52	20	104	40	SKIN	
VLEP	ITA	52	20	104	40	SKIN	
RV	LVA	52	20	104	40	SKIN	
TGG	NLD	52		104		SKIN	
VLE	PRT	52	20	104	40	SKIN	
NDS/NDSCh	POL	15		50			
TLV	ROU	52	20	104	40	SKIN	
NGV/KGV	SWE	25	10	50	20	SKIN	
NPEL	SVK	52	20	104		SKIN	

BARDAHL.			MAROIL	S.R.L.			Revision nr. 2	
							Dated 24/11/2021	
		Ar	ntifreeze S	Si-OA Tec	h		Printed on 24/11/2021	
							Page n. 6/15	
							Replaced revision:1 (Prin	ted on: 27/09/2018
MV	SVN	52	20	104	40	SKIN	1	
WEL	GBR	52	20	104	40	_		
OEL	EU	52	20	104	40	SKIN	1	
TLV-ACGIH			25		50			
TLV-ACGIH				10		INHA	۱L	
Predicted no-effect concentra	ation - PNEC							
Normal value in fresh water				10	mg/	1		
Normal value in marine water	r			1	mg/	1		
Normal value for fresh water	sediment			20,9	mg/	′kg		
Normal value for water, interr	mittent release			10	mg/	1		
Normal value of STP microor	rganisms			119,5	mg/	1		
Normal value for the terrestria	al compartment			1,53	mg/	′kg		
Health - Derived no-effe	ect level - DNEL / I Effects on consumers	DMEL			Effects on workers			
Route of exposure	Acute local	Acute systemic	Chronic local	Chronic systemic	Acute local	Acute systemic	Chronic local	Chronic systemic
Inhalation			7 mg/m3	eyotonno		5,0001110	35 mg/m3	0,0001110
Skin				53 mg/kg/d				106 mg/kg/d

Legend:

(C) = CEILING ; INHAL = Inhalable Fraction ; RESP = Respirable Fraction ; THORA = Thoracic Fraction.

VND = hazard identified but no DNEL/PNEC available ; NEA = no exposure expected ; NPI = no hazard identified.

### 8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

Exposure levels must be kept as low as possible to avoid significant build-up in the organism. Manage personal protective equipment so as to guarantee maximum protection (e.g. reduction in replacement times).

### HAND PROTECTION

Protect hands with category III work gloves (see standard EN 374).

The following should be considered when choosing work glove material: compatibility, degradation, failure time and permeability. The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

### SKIN PROTECTION

Wear category II professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

### EYE PROTECTION

Wear airtight protective goggles (see standard EN 166).

In the presence of risks of exposure to splashes or squirts during work, adequate mouth, nose and eye protection should be used to prevent accidental absorption.

BARDAHL	MAROIL S.R.L.	Revision nr. 2
		Dated 24/11/2021
	Antifreeze Si-OA Tech	Printed on 24/11/2021
		Page n. 7/15
		Replaced revision:1 (Printed on: 27/09/2018)

### RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, use a mask with a type A filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required.

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.

### ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

### **SECTION 9. Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

	Properties	Value	Information
	Appearance	liquid	
	Colour	Rosso-Violetto	
	Odour	characteristic	
	Melting point / freezing point	Not available	
	Initial boiling point	> 170 °C	
	Flammability	Not available	
	Lower explosive limit	4,9 % (v/v)	
	Upper explosive limit	14,6 % (v/v)	
	Flash point	> 125 °C	
	Auto-ignition temperature	> 400 °C	
	Decomposition temperature	Not available	
	pH	7,5 - 10	
	Kinematic viscosity	Not available	
	Solubility	Not available	
	Partition coefficient: n-octanol/water	-1,93	
	Vapour pressure	Not available	
	Density and/or relative density	1,110 - 1,140	
	Relative vapour density	Not available	
	Particle characteristics	Not applicable	
1			

### 9.2. Other information

9.2.1. Information with regard to physical hazard classes Information not available

#### 9.2.2. Other safety characteristics

Information not available

<b>H</b>
BARDAHL

Revision nr. 2

## Antifreeze Si-OA Tech

Dated 24/11/2021

Printed on 24/11/2021

Page n. 8/15

Replaced revision:1 (Printed on: 27/09/2018)

### **SECTION 10. Stability and reactivity**

### 10.1. Reactivity

There are no particular risks of reaction with other substances in normal conditions of use.

### ETHANEDIOL

In the air absorbs moisture. Decomposes at temperatures above 200°C/392°F.

### 10.2. Chemical stability

The product is stable in normal conditions of use and storage.

### 10.3. Possibility of hazardous reactions

No hazardous reactions are foreseeable in normal conditions of use and storage.

### ETHANEDIOL

Risk of explosion on contact with: perchloric acid.May react dangerously with: chlorosulphuric acid,sodium hydroxide,sulphuric acid,phosphorus pentasulphide,chromium (III) oxide,chromyl chloride,potassium perchlorate,potassium dichromate,sodium peroxide,aluminium.Forms explosive mixtures with: air.

### 10.4. Conditions to avoid

None in particular. However the usual precautions used for chemical products should be respected.

ETHANEDIOL

Avoid exposure to: sources of heat, naked flames.

### 10.5. Incompatible materials

Information not available

### 10.6. Hazardous decomposition products

### ETHANEDIOL

May develop: hydroxyacetaldehyde,glyoxal,acetaldehyde,methane,carbon monoxide,hydrogen.

## **SECTION 11. Toxicological information**

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification. It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological

It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

	MAROIL S.R.L.	Revision nr. 2
BARDAHL		Dated 24/11/2021
	Antifreeze Si-OA Tech	Printed on 24/11/2021
		Page n. 9/15
		Replaced revision:1 (Printed on: 27/09/2018)
11.1. Information on hazard classes	as defined in Regulation (EC) No 1272/2008	
Metabolism, toxicokinetics, mechanisn	n of action and other information	
Information not available		
Information on likely routes of exposur	<u>e</u>	
ETHANEDIOL WORKERS: inhalation; contact with th POPULATION: inhalation of ambient a	e skin. ir; contact with the skin of products containing the substance.	
Delayed and immediate effects as wel	l as chronic effects from short and long-term exposure	
ETHANEDIOL Ingestion initially stimulates the central nervous system; later replaced by a phase of depression. There may be kidney damage, with anuria and uremia. Over-exposure symptoms are: vomiting, drowsiness, difficulty in breathing, convulsions. The lethal dose for humans is approx. 1.4 ml/kg.		
Interactive effects		
Information not available		
ACUTE TOXICITY		
ATE (Inhalation) of the mixture: ATE (Oral) of the mixture: ATE (Dermal) of the mixture:	Not classified (no significant component) 303,13 mg/kg Not classified (no significant component)	
ETHANEDIOL		
LD50 (Oral): LD50 (Dermal):	> 300 mg/kg > 5000 mg/kg Rabbit	
SKIN CORROSION / IRRITATION		
Does not meet the classification criteri	a for this hazard class	
SERIOUS EYE DAMAGE / IRRITATIC	<u>NN</u>	

BARDAHL	MAROIL S.R.L.	Revision nr. 2
		Dated 24/11/2021
	Antifreeze Si-OA Tech	Printed on 24/11/2021
		Page n. 10/15
		Replaced revision:1 (Printed on: 27/09/2018)

Does not meet the classification criteria for this hazard class

### RESPIRATORY OR SKIN SENSITISATION

Does not meet the classification criteria for this hazard class

### GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

### CARCINOGENICITY

Does not meet the classification criteria for this hazard class

ETHANEDIOL

Available studies have shown no carcinogenic potential. In a carcinogenicity study lasting two years, carried out by the US National Toxicology Program (NTP), in which ethylene glycol was administered in the feed, "no evidence of carcinogenic activity" in male and female B6C3F1 mice was observed (NTP, 1993).

### REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

STOT - SINGLE EXPOSURE

Does not meet the classification criteria for this hazard class

STOT - REPEATED EXPOSURE

May cause damage to organs

ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class

BARDAHL	MAROIL S.R.L.	Revision nr. 2
BARUANL	Dated 24/11/2021	
	Antifreeze Si-OA Tech	Printed on 24/11/2021
		Page n. 11/15
		Replaced revision:1 (Printed on: 27/09/2018)

### 11.2. Information on other hazards

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with human health effects under evaluation.

### **SECTION 12. Ecological information**

Use this product according to good working practices. Avoid littering. Inform the competent authorities, should the product reach waterways or contaminate soil or vegetation.

### 12.1. Toxicity

ETHANEDIOL	
LC50 - for Fish	> 100 mg/l/96h
Chronic NOEC for Fish	> 100 mg/l
Chronic NOEC for Crustacea	> 100 mg/l

### 12.2. Persistence and degradability

ETHANEDIOL	
Solubility in water 1000 - 1000	10 mg/l
Rapidly degradable 12.3. Bioaccumulative potential	
ETHANEDIOL	
Partition coefficient: n-octanol/water -1,93	
12.4. Mobility in soil	
Information not available	
12.5. Results of PBT and vPvB assessment	
On the basis of available data, the product does not contain any PBT or vPvE	3 in percentage ≥ than 0,1%.

### 12.6. Endocrine disrupting properties

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with environmental effects under evaluation. 12.7. Other adverse effects

Information not available

## **SECTION 13. Disposal considerations**

E	A
BAR	DAHL

Revision nr. 2

# Antifreeze Si-OA Tech

Dated 24/11/2021

Printed on 24/11/2021

Page n. 12/15

Replaced revision:1 (Printed on: 27/09/2018)

#### 13.1. Waste treatment methods

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations. CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

### **SECTION 14. Transport information**

The product is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations.

### 14.1. UN number or ID number

Not applicable

14.2. UN proper shipping name

Not applicable

#### 14.3. Transport hazard class(es)

Not applicable

#### 14.4. Packing group

Not applicable

### 14.5. Environmental hazards

Not applicable

14.6. Special precautions for user

BARDAHL	MAROIL S.R.L.	Revision nr. 2
		Dated 24/11/2021
		Printed on 24/11/2021
	Antifreeze Si-OA Tech	Page n. 13/15
		Replaced revision:1 (Printed on: 27/09/2018)
Not applicable		
14.7. Maritime transport in bulk acco	ording to IMO instruments	
Information not relevant		
SECTION 15. Regulatory	information	
15.1. Safety, health and environme	ental regulations/legislation specific for the substance or mixture	
Seveso Category - Directive 2012/18/	EC: None	
Restrictions relating to the product or o	contained substances pursuant to Annex XVII to EC Regulation 1907/2006	
Product Point	3	
Regulation (EC) No. 2019/1148 - on th	e marketing and use of explosives precursors	
Not applicable		
Substances in Candidate List (Art. 59		
On the basis of available data, the product does not contain any SVHC in percentage ≥ than 0,1%.		
Substances subject to authorisation (Annex XIV REACH)		
None		
Substances subject to exportation reporting pursuant to (EC) Reg. 649/2012:		
None		
Substances subject to the Rotterdam	Convention:	
None		
Substances subject to the Stockholm (	Convention:	
None		
Healthcare controls		
Workers exposed to this chemical age workers' health and safety are modest	nt must not undergo health checks, provided that available risk-assessment d and that the 98/24/EC directive is respected.	ata prove that the risks related to the

15.2. Chemical safety assessment

BARDAHL

Revision nr. 2

# Antifreeze Si-OA Tech

Dated 24/11/2021

Printed on 24/11/2021

Page n. 14/15

Replaced revision:1 (Printed on: 27/09/2018)

A chemical safety assessment has not been performed for the preparation/for the substances indicated in section 3.

### **SECTION 16. Other information**

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Acute Tox. 4	Acute toxicity, category 4
STOT RE 2	Specific target organ toxicity - repeated exposure, category 2
H302	Harmful if swallowed.
H373	May cause damage to organs through prolonged or repeated exposure.

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- ATE: Acute Toxicity Estimate
- CAS NUMBER: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE NUMBER: Identifier in ESIS (European archive of existing substances)
- CLP: EC Regulation 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX NUMBER: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- **OEL: Occupational Exposure Level**
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: EC Regulation 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA: Time-weighted average exposure limit
- TWA STEL: Short-term exposure limit
- VOC: Volatile organic Compounds vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).

GENERAL BIBLIOGRAPHY

- 1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
- 2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
- 3. Regulation (EU) 2020/878 (II Annex of REACH Regulation)
- 4. Regulation (EU) 790/2009 (I Atp. CLP) of the European Parliament
- 5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament 6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
- 7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
- 8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
- 9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
- 10. Regulation (EÚ) 2015/1221 (VII Atp. CLP) of the European Parliament
- 11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
- 12. Regulation (EU) 2016/1179 (IX Atp. CLP)
- 13. Regulation (EU) 2017/776 (X Atp. CLP)
- 14. Regulation (EU) 2018/669 (XI Atp. CLP)
- 15. Regulation (EU) 2019/521 (XII Atp. CLP)

		Devision on O
	MAROIL S.R.L.	Revision nr. 2
BARDAHL		
		Dated 24/11/2021
	Antifreeze Si-OA Tech	Printed on 24/11/2021
		Page n. 15/15
		Replaced revision:1 (Printed on: 27/09/2018)
<u> </u>		·
16. Delegated Regulation (UE) 2018/1	480 (XIII Atp. CLP)	
17. Regulation (EU) 2019/1148		
18. Delegated Regulation (UE) 2020/2 19. Delegated Regulation (UE) 2020/1		
20. Delegated Regulation (UE) 2021/6	43 (XVI Atp. CLP)	
21. Delegated Regulation (UE) 2021/8 - The Merck Index 10th Edition	49 (XVII Atp. CLP)	
- Handling Chemical Safety		
- INRS - Fiche Toxicologique (toxicologi		
- Patty - Industrial Hygiene and Toxico - N.I. Sax - Dangerous properties of In		
- IFA GESTIS website		
- ECHA website	als - Ministry of Health and ISS (Istituto Superiore di Sanità) - Italy	
	ais - Ministry of Health and 155 (Istituto Superiore di Sanita) - Italy	
Note for users:		
The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and		
thoroughness of provided information according to each specific use of the product. This document must not be regarded as a guarantee on any specific product property.		
The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety		
laws and regulations. The producer is relieved from any liability arising from improper uses. Provide appointed staff with adequate training on how to use chemical products.		
CALCULATION METHODS FOR CLA		
Chemical and physical hazards: Product classification derives from criteria established by the CLP Regulation, Annex I, Part 2. The data for evaluation of		
chemical-physical properties are reported in section 9. Health hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 3, unless determined otherwise in Section 11.		
Environmental hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 4, unless determined otherwise in Section 12.		
Changes to previous review: The following sections were modified:		
01 / 02 / 03 / 08 / 09 / 11 / 12 / 15 / 16.		